



RAILING DETAILS ON STAIRS



ALL STAIRCASE
RAILING HEIGHTS
WILL BE 36"


RAILING DETAIL ON LANDINGS



ALL LANDING
RAILING HEIGHTS
WILL BE 42"

STAIRCASE DETAIL


PROPER STRINGER
BACKING WILL BE
ADDED ON EVERY
LANDING RIMBOARD



OUTSIDE STRINGER

MIDDLE 2'x12'
STRINGER ADDED
ON ALL STAIRCASES

OUTSIDE STRINGER



-  - FOOTINGS
- 4x4 POSTS
- 36" RAILING HEIGHT
- 44" STAIR WIDTH
- N/F - NO FOOTING

COTTAGE

SITS ON BEDROCK

N/P

N/F


N/F

ANCHOR IN BEDROCK

AIRPLANE CABLE

BOTTOM STAIR AND LANDING DETAIL


VIEW FROM
DOCK



TOPOGRAPHICAL
VIEW

EAST

WEST



- CURRENT 3 STAIRS WILL BE DELETED
- NEW DESIGN WILL HAVE 3 STAIRS GOING UP FROM EAST SIDE & 3 STAIRS GOING UP FROM WEST SIDE.
- BOTH SETS OF STAIRS WILL NOW LEAD TO A 4'x4' LANDING.
- THIS WILL NOW COMPLY TO BUILDING CODE, AS NOT TO EXCEED MAXIMUM AMOUNT OF STAIRS ALLOWED PER RUN OF STAIRS
- BOTTOM STAIRS WILL NOT EXCEED THE ALLOWANCE @ HIGH WATER BENCHMARK. AS PER CONSERVATION AUTHORITY